

# AUTHOR INDEX

## 1991 Volume 24

### A

- ABERDEEN J *see* STEWART-LEE A L *et al*  
 AHMED R *see* HANO O *et al*  
 AIRAKSINEN J *see* PEUHKURINEN K *et al*  
 AKSNES G *see* KIRKEBOEN K A *et al*  
 ANDO K *see* MASUDA T *et al*  
 ANTHOPOULOS L P, *see* ANTONATOS P G *et al*  
 ANTONA C *see* BEVILACQUA M *et al*  
 ANTONATOS P G, FOUSSAS S G, NANAS S N, KARAMOULLIS D G, THEOCHARIS A G, ANTHOPOULOS L P, and MOULOPOULOS S D Effect of acute changes in aortic pressure on the coronary reserve, 995  
 ARITA M *see* TAKAHASHI N *et al*  
 ARMSTRONG P W *see* HOWARD R J *et al*  
 ARNER P *see* SYLVEN C *et al*  
 ARNOLDA L, McGRATH B P, and JOHNSTON C I Vasopressin and angiotensin II contribute equally to the increased afterload in rabbits with heart failure, 68  
 AVKIRAN M *see* MURASHITA T *et al*  
 AXFORD-GATLEY R A and WILSON G J Reduction of experimental myocardial infarct size by oral administration of alpha tocopherol, 89

### B

- BADER R *see* PODZUWEIT T *et al*  
 BAGROV A Y, FEDOROVA O V, MASLOVA M N, ROUKOYATKINA N I, UKHANOVA M V, and ZHABKO E P Endogenous plasma Na, K-ATPase inhibitory activity and digoxin like immunoreactivity after acute myocardial infarction, 371  
 BAIER H *see* CONZEN P F *et al*  
 BALDI G *see* BEVILACQUA M *et al*  
 BANITT P F *see* MYERS P R *et al*  
 BARDAJI A *see* CINCA J *et al*  
 BARR S M, MANLEY B S, and COBBE S M Metoprolol and ventricular repolarisation and refractoriness: lack of chronic adaptational class III effects in rabbit, 652  
 BECK H *see* PODZUWEIT T *et al*  
 BECKET J M *see* JONES H A *et al*  
 BEDOTTO J B *see* GRAYBURN P A *et al*  
 BELCH J F *see* SANIABADI A R *et al*  
 BENTSEN D *see* GERLOCK T *et al*  
 BENYO Z, KISS G, SZABO C, CSAKI C, and KOVACH A G B Importance of basal nitric oxide synthesis in regulation of myocardial blood flow, 700  
 BENZE J, YANG H-I, GRIFFITH V J, and ROSENDORFF C Angiotensin II induced phosphorylation of myosin light chain in vascular smooth muscle cells from spontaneously hypertensive and normotensive rats, 617  
 BERSEWICZ A *see* HORACKOVA M *et al*  
 BERNARD M *see* PIETRI S *et al*  
 BESSE P *see* GRELLLET J *et al*  
 BEVILACQUA M, VAGO T, MONOPOLI A, BALDI G, FORLANI A, ANTONA C, BIGLIOLI P, SCROFANI R, and NORBIATO G Alpha<sub>1</sub> adrenoceptor subtype mediates noradrenaline induced contraction of the human intradural mammary artery: radioligand and functional studies, 290  
 BEVIS P J R *see* ZAIDI M and BEVIS P J R  
 BEYER T *see* SCHMITT C *et al*  
 BIGLIOLI P *see* BEVILACQUA M *et al*  
 BJORNERHEIM R, FROYSAKER T, and HANSSON V Effects of chronic amiodarone treatment on human myocardial beta adrenoceptor density and adenylate cyclase response, 503  
 GOLF S, and HANSSON V Specific non-beta-adrenergic binding sites for <sup>125</sup>I-iodocyanopindolol in myocardial membrane preparations: a comparative study between human, rat, and porcine hearts, 764  
 BONORON-ADELE S *see* GRELLLET J *et al*

- BORGERS M *see* VANDEPLASSCHE G *et al*  
 BOTTING J H *see* OYEKAN A O and BOTTING J H  
 BOUMAN L N *see* PRINSZE F J and BOUMAN L N  
 BOUTDIR M and EL-SHERIF N Pharmacological evaluation of early afterdepolarisations induced by sea anemone toxin (ATXII) in dog heart, 815  
 BOVE A A *see* SANTANORE W P *et al*  
 BOWLES C T, SHAH S S, NISHIMURA K, CLARK C, CUMMING D V E, PATTISON C W, PEPPER J R, and YACOB M H Development of mock circulation models for the assessment of counterpulsation systems, 901  
 BRACHMANN J *see* SCHMITT C *et al*  
 BRAQUET P *see* KOLTAI M *et al*  
 BRASCH H *see* KASCHUBE M and BRASCH H  
 BRICKNER M E *see* GRAYBURN P A *et al*  
 BRONNEGARD M *see* SYLVEN C *et al*  
 BRONSVELD W *see* GROENEVELD A B J *et al*  
 BROWN M D and HUDLICKA O Capillary supply and cardiac performance in the rabbit after chronic dobutamine treatment, 909  
 BUCKMAN J E *see* HUMPHREY S M *et al*  
 BURNSTOCK G *see* CORR L *et al*  
 STEWART-LEE A L *et al*  
 BUSTI G *see* MIGLIACCI R *et al*  
 BUTTRICK P *see* ROSEN S *et al*

### C

- CALKINS H, LEVINE J H, and KASS D A Electrophysiological effect of varied rate and extent of acute in vivo left ventricular load increase, 637  
 CAMPBELL S E and RAKUSAN K An in oculo model for quantitation of vascular growth in the rat heart, 861  
 CANDINA R *see* SCHRIJEN F V *et al*  
 CARLO W A *see* TRAVERSE J H *et al*  
 CARNEY P J *see* LAW W R *et al*  
 CHANCE B *see* OSBAKKEN M *et al*  
 CHARLEMAGNE D *see* PRIMOT I *et al*  
 CHARTIER D *see* RUIZ-PETRICHE E *et al*  
 CHESTER A H, MARTIN G R, and YACOB M 5-Hydroxytryptamine receptor profile: correspondence reply, 263  
*see also* MANKAD P S *et al*  
 CHOONG Y S *see* HUMPHREY S M *et al*  
 CHRIST M *see* CONZEN P F *et al*  
 CINCA J, WORTNER F, BARDAJI A, SALAS-CAUDEVELLA A, and SOLER-SOLER J Induced ventricular arrhythmias in regionally denervated porcine heart with healed myocardial infarction, 586  
 CLARK C *see* BOWLES C T *et al*  
 COBBE S M *see* BARR S N *et al*  
 HICKS M N and COBBE S M  
 COHEN M V *see* ROSEN S *et al*  
 COLLINS P *see* JIANG C *et al*  
 CONNOR H E, FENIUK W, HUMPHREY P P A 5-Hydroxytryptamine receptor profile: correspondence, 263  
 CONOREV E A, SHAROV V G, and SAKS V A Improvement in contractile recovery of isolated rat heart after cardioplegic ischaemic arrest with endogenous phosphocreatine: involvement of antiperoxidative effect, 164  
 CONZEN P F, HABAZETTL H, CHRIST M, BAIER H, HOBBAHN J, VOLLMAR B, and PETER K Left ventricular surface tissue oxygen pressures determined by oxygen sensitive multiwire electrodes in pigs, 207  
 CORR L, BURNSTOCK G, and POOLE-WILSON P Responses of the rabbit epicardial coronary artery to acetylcholine and adrenoceptor agonists, 256: correction, 528

# AUTHOR INDEX

## 1991 Volume 24

### A

- ABERDEEN J *see* STEWART-LEE A L *et al*  
 AHMED R *see* HANO O *et al*  
 AIRAKSINEN J *see* PEUHKURINEN K *et al*  
 AKSNES G *see* KIRKEBOEN K A *et al*  
 ANDO K *see* MASUDA T *et al*  
 ANTHOPOULOS L P, *see* ANTONATOS P G *et al*  
 ANTONA C *see* BEVILACQUA M *et al*  
 ANTONATOS P G, FOUSSAS S G, NANAS S N, KARAMOULLIS D G, THEOCHARIS A G, ANTHOPOULOS L P, and MOULOPOULOS S D Effect of acute changes in aortic pressure on the coronary reserve, 995  
 ARITA M *see* TAKAHASHI N *et al*  
 ARMSTRONG P W *see* HOWARD R J *et al*  
 ARNER P *see* SYLVEN C *et al*  
 ARNOLDA L, McGRATH B P, and JOHNSTON C I Vasopressin and angiotensin II contribute equally to the increased afterload in rabbits with heart failure, 68  
 AVKIRAN M *see* MURASHITA T *et al*  
 AXFORD-GATLEY R A and WILSON G J Reduction of experimental myocardial infarct size by oral administration of alpha tocopherol, 89

### B

- BADER R *see* PODZUWEIT T *et al*  
 BAGROV A Y, FEDOROVA O V, MASLOVA M N, ROUKOYATKINA N I, UKHANOVA M V, and ZHABKO E P Endogenous plasma Na, K-ATPase inhibitory activity and digoxin like immunoreactivity after acute myocardial infarction, 371  
 BAIER H *see* CONZEN P F *et al*  
 BALDI G *see* BEVILACQUA M *et al*  
 BANITT P F *see* MYERS P R *et al*  
 BARDAJI A *see* CINCA J *et al*  
 BARR S M, MANLEY B S, and COBBE S M Metoprolol and ventricular repolarisation and refractoriness: lack of chronic adaptational class III effects in rabbit, 652  
 BECK H *see* PODZUWEIT T *et al*  
 BECKET J M *see* JONES H A *et al*  
 BEDOTTO J B *see* GRAYBURN P A *et al*  
 BELCH J F *see* SANIABADI A R *et al*  
 BENTSEN D *see* GERLOCK T *et al*  
 BENYO Z, KISS G, SZABO C, CSAKI C, and KOVACH A G B Importance of basal nitric oxide synthesis in regulation of myocardial blood flow, 700  
 BENZE J, YANG H-I, GRIFFITH V J, and ROSENDORFF C Angiotensin II induced phosphorylation of myosin light chain in vascular smooth muscle cells from spontaneously hypertensive and normotensive rats, 617  
 BERSEWICZ A *see* HORACKOVA M *et al*  
 BERNARD M *see* PIETRI S *et al*  
 BESSE P *see* GRELLLET J *et al*  
 BEVILACQUA M, VAGO T, MONOPOLI A, BALDI G, FORLANI A, ANTONA C, BIGLIOLI P, SCROFANI R, and NORBIATO G Alpha<sub>1</sub> adrenoceptor subtype mediates noradrenaline induced contraction of the human intramammary artery: radioligand and functional studies, 290  
 BEVIS P J R *see* ZAIDI M and BEVIS P J R  
 BEYER T *see* SCHMITT C *et al*  
 BIGLIOLI P *see* BEVILACQUA M *et al*  
 BJORNERHEIM R, FROYSAKER T, and HANSSON V Effects of chronic amiodarone treatment on human myocardial beta adrenoceptor density and adenylate cyclase response, 503  
 GOLF S, and HANSSON V Specific non-beta-adrenergic binding sites for <sup>125</sup>I-iodocyanopindolol in myocardial membrane preparations: a comparative study between human, rat, and porcine hearts, 764  
 BONORON-ADELE S *see* GRELLLET J *et al*

- BORGERS M *see* VANDEPLASSCHE G *et al*  
 BOTTING J H *see* OYEKAN A O and BOTTING J H  
 BOUMAN L N *see* PRINSZE F J and BOUMAN L N  
 BOUTDIR M and EL-SHERIF N Pharmacological evaluation of early afterdepolarisations induced by sea anemone toxin (ATXII) in dog heart, 815  
 BOVE A A *see* SANTANORE W P *et al*  
 BOWLES C T, SHAH S S, NISHIMURA K, CLARK C, CUMMING D V E, PATTISON C W, PEPPER J R, and YACOB M H Development of mock circulation models for the assessment of counterpulsation systems, 901  
 BRACHMANN J *see* SCHMITT C *et al*  
 BRAQUET P *see* KOLTAI M *et al*  
 BRASCH H *see* KASCHUBE M and BRASCH H  
 BRICKNER M E *see* GRAYBURN P A *et al*  
 BRONNEGARD M *see* SYLVEN C *et al*  
 BRONSVELD W *see* GROENEVELD A B J *et al*  
 BROWN M D and HUDLICKA O Capillary supply and cardiac performance in the rabbit after chronic dobutamine treatment, 909  
 BUCKMAN J E *see* HUMPHREY S M *et al*  
 BURNSTOCK G *see* CORR L *et al*  
 STEWART-LEE A L *et al*  
 BUSTI G *see* MIGLIACCI R *et al*  
 BUTTRICK P *see* ROSEN S *et al*

### C

- CALKINS H, LEVINE J H, and KASS D A Electrophysiological effect of varied rate and extent of acute in vivo left ventricular load increase, 637  
 CAMPBELL S E and RAKUSAN K An in oculo model for quantitation of vascular growth in the rat heart, 861  
 CANDINA R *see* SCHRIJEN F V *et al*  
 CARLO W A *see* TRAVERSE J H *et al*  
 CARNEY P J *see* LAW W R *et al*  
 CHANCE B *see* OSBAKKEN M *et al*  
 CHARLEMAGNE D *see* PRIMOT I *et al*  
 CHARTIER D *see* RUIZ-PETRICHE E *et al*  
 CHESTER A H, MARTIN G R, and YACOB M 5-Hydroxytryptamine receptor profile: correspondence reply, 263  
*see also* MANKAD P S *et al*  
 CHOONG Y S *see* HUMPHREY S M *et al*  
 CHRIST M *see* CONZEN P F *et al*  
 CINCA J, WORTNER F, BARDAJI A, SALAS-CAUDEVELLA A, and SOLER-SOLER J Induced ventricular arrhythmias in regionally denervated porcine heart with healed myocardial infarction, 586  
 CLARK C *see* BOWLES C T *et al*  
 COBBE S M *see* BARR S N *et al*  
 HICKS M N and COBBE S M  
 COHEN M V *see* ROSEN S *et al*  
 COLLINS P *see* JIANG C *et al*  
 CONNOR H E, FENIUK W, HUMPHREY P P A 5-Hydroxytryptamine receptor profile: correspondence, 263  
 CONOREV E A, SHAROV V G, and SAKS V A Improvement in contractile recovery of isolated rat heart after cardioplegic ischaemic arrest with endogenous phosphocreatine: involvement of antiperoxidative effect, 164  
 CONZEN P F, HABAZETTL H, CHRIST M, BAIER H, HOBBAHN J, VOLLMAR B, and PETER K Left ventricular surface tissue oxygen pressures determined by oxygen sensitive multiwire electrodes in pigs, 207  
 CORR L, BURNSTOCK G, and POOLE-WILSON P Responses of the rabbit epicardial coronary artery to acetylcholine and adrenoceptor agonists, 256: correction, 528

- COULSHED D S and COWAN J C Contraction-excitation feedback in an ejecting whole heart model - dependence of action potential duration on left ventricular diastolic and systolic pressures, 343
- COWAN J C *see* COULSHED D S and COWAN J C
- COZZONE P J *see* PIETRI S *et al*
- CRANE T *see* JIANG C *et al*
- CRAWFORD F A *see* SPINALE F G *et al*
- CSAKI C *see* BENYO Z *et al*
- CSANADY M *see* SOOS I *et al*
- CUMMING D V *see* BOWLES C T *et al*
- CURTIS M J The rabbit dual coronary perfusion model: a new method for assessing the pathological relevance of individual products of the ischaemic milieu: role of potassium in arrhythmogenesis, 1010

D

- DE ALMEIDA I C *see* GUTIERREZ P S *et al*
- DE GRAEFF P A *see* VAN WIJNGAARDEN J *et al*
- DE LANGEN C D J *see* VAN WIJNGAARDEN J *et al*
- DE LORENZI F *see* RUIZ-PETRICHE E *et al*
- DEUSSEN A *see* KELM M *et al*
- DIETRICH C P *see* GUTIERREZ P S *et al*
- DONNELLY T J *see* WOLFE C L *et al*
- DORMANDY T L *see* HENDRA T J *et al*
- DOUBILET P *see* SUTTON M G St J *et al*
- DRESNER K P *see* FIGUEROA V M *et al*
- DREXLER H, HIRTH-DIETRICH C, STASCH J-P, NEUSER D, GROSS R, KAUCZOR H-U, JUST H, and KAZDA S Endogenous atrial natriuretic factor is involved in the natriuresis following sodium loading in rats with chronic heart failure, 558
- DUKER B G D Frequency dependent effects of tocainide, quinidine, and flecainide on conduction as reflected in the rise time of the monophasic action potential in the isolated guinea pig heart, 217
- DUNCKER D J *see* McFALLS E O *et al*

E

- EARNHARDT R C *see* TANAKA M *et al*
- EBERHART R C *see* GRAYBURN P A *et al*
- EDES I, TALOSI L, and KRANIAS E G Effect of alpha adrenergic agents and phorbol esters on phosphorylation of sarcolemmal proteins in beating guinea pig hearts, 510
- see also* SOOS I *et al*
- EICHORN E J *see* GRAYBURN P A *et al*
- EL-SHERIF N *see* BOUTDIR M and EL-SHERIF N
- ELLINGSEN O, SEJERSTED O M, VENGEN O A, and ILEBEKK A Frequency dependent myocardial potassium fluxes during beta adrenergic stimulation of intact pig hearts, 364
- ELSNER D, MUNTZE A, KROMER E P, and RIEGGER G A J Systemic vasoconstriction induced by inhibition of nitric oxide synthesis is attenuated in conscious dogs with heart failure, 438
- ESANU A *see* KOLTAY M *et al*

F

- FACSKO A *see* SOOS I *et al*
- FEDOROVA O V *see* BAGROV A Y *et al*
- FEELISCH M *see* KELM M *et al*
- FELIX W *see* SCHNEIDER E and FELIX W
- FENIUK W *see* CONNOR H E *et al*
- FERMINI B and SCHANNE O F Determinants of action potential duration in neonatal rat ventricle cells, 235
- FIGUEROA V M, DRESNER K P, WOLNEY A C, and KELLER A M Postischaemic reperfusion injury in the isolated rat heart: effect of ruthenium red, 337

- FISHER T C *see* SANIABADI A R *et al*
- FLAMENG W *see* VANDEPLASSCHE G *et al*
- FLAMINI F *see* MIGLIACCI R *et al*
- FOEK P *see* VICTORY J G G *et al*
- FOLLENFANT M J *see* LONGRIDGE D J *et al*
- FORBES C D *see* SANIABADI A R *et al*
- FORD A J *see* LONGRIDGE D J *et al*
- FORLANI A *see* BEVILACQUA M *et al*
- FOUSSAS S G *see* ANTONATOS P G *et al*
- FOWLER N O *see* GERSON M C *et al*
- FRANKLIN D *see* FUJITA M *et al*
- FRIEDRICH S G *see* WEI H W *et al*
- FROHLICH J J *see* ROE R P *et al*
- FROYSAKER T *see* BJORNERHEIM R *et al*
- FU L-X, SJOGREN K-G, LIANG Q-M, WAAGSTEIN F, HOEBEKE J, and HJALMARSON A Activity of receptors coupled to guanine nucleotide binding regulatory protein in doxorubicin induced cardiomyopathy, 145; correction, 352
- FUJITA M, McKOWN D P, McKOWN M D, and FRANKLIN D Bidirectional function of coronary collateral channels in conscious dogs, 58
- see also* FURUNO Y *et al*
- FURUNO I *see* OGAWA S *et al*
- FURUNO Y, NAGAMOTO Y, FUJITA M, KAKU T, SAKURAI S, and KUROIWA A Reflection as a cause of mid-systolic deceleration of pulmonary flow wave in dogs with acute pulmonary hypertension: comparison of pulmonary artery constriction with pulmonary embolisation, 118

G

- GABEL M *see* GERSON M C *et al*
- GANGULY P K and SHERWOOD G R Noradrenaline turnover and metabolism in myocardium following aortic constriction in rats, 579
- GARCIA R *see* LACHANCE D and GARCIA R
- GASCHO J A *see* KIESZ R S *et al*
- GAVIN J B *see* HUMPHREY S M *et al*
- MAXWELL L and GAVIN J B
- GEENEN D L, MALHOTRA A, LIANG D, and SCHEUER J Ventricular function and contractile proteins in the infarcted overloaded rat heart, 330
- GEHMAN J D *see* KIESZ R S *et al*
- GERLOCK T, BENTSEN D, and WEISS H R Local adenosine infusion and myocardial oxygen supply and consumption in perfused canine myocardium, 630
- GERSON M C, GABEL M, FOWLER N O, and WHITE M Effects of pericardiectomy on canine pulmonary blood volume during hypervolaemia, 705
- GEWITZ M H *see* STEWART J M *et al*
- GOLF S *see* BJORNERHEIM R *et al*
- GORLACH G *see* PODZUWEIT T *et al*
- GORNICK C *see* McFALLS E O *et al*
- GOTO M, MIURA T, ILIADOROMITIS E K, O'LEARY E L, ISHIMOTO R, YELLON D M, and IIMURA O Adenosine infusion during early reperfusion failed to limit myocardial infarct size in a collateral deficient species, 943
- GRAYBURN P A, EICHORN E J, EBERHART R C, BEDOTTO J B, BRICKNER M E, and TAYLOR A L Aortic valve morphology influences regurgitant volume in aortic regurgitation: in vivo evaluation, 73; correction, 440
- GRELLET J, BONORON-ADELE S, STUYVERS B, TARIOSSE L, and BESSE P Nicardipine and cardiac hypertrophy: effects on left ventricular mass. Haemodynamics and mechanical performance in renovascular hypertensive rats, 484
- GRESELE P *see* MIGLIACCI R *et al*
- GRIFFITH V J *see* BENZE J *et al*

- GROENEVELD A B J, VAN LAMBALGEN A A, VAN DEN BOS G C, BRONSVELD W, NAUTA J J P, and THIJS L G Maldistribution of heterogeneous coronary blood flow during canine endotoxin shock, 80  
 GROSS R *see* DREXLER H *et al*  
 GUERRA R *see* MYERS P R *et al*  
 GUTIERREZ P S, DE ALMEIDA I C, NADER H B, HIGUCHI M de L, STOLF N, and DIETRICH C P Decrease in sulphated glycosaminoglycans in aortic dissection - possible role in the pathogenesis, 742

## H

- HABAZETTL H *see* CONZEN P F *et al*  
 HALLER E M *see* STARK G *et al*  
 HANO O, MITSUOKA T, MATSUMOTO Y, AHMED R, HIRATA M, HIRATA T, MORI M, YANO K, and HASHIBA K Arrhythmogenic properties of the ventricular myocardium in cardiomyopathic Syrian hamster, BIO 14.6 strain, 49  
 HANSSON V *see* BJORNERHEIM R *et al*  
 HARAGUCHI M *see* MATSUDA M *et al*  
 HARAOKA S *see* SAITO D *et al*  
 HARASAWA H *see* YAMAGUCHI S *et al*  
 HARASAWA Y, KIMURA M, and HAYASHI S Inhibitory effect of spiradoline, a kappa opioid receptor agonist, on  $Ca^{2+}$  induced contraction and the intracellular  $Ca^{2+}$  concentration in porcine coronary artery, 802  
 HARRISON D G *see* MYERS P R *et al*  
 HASEGAWA J, NAWADA T, HIRAI S, KURATA Y, OGINO K, KOTAKE H, and MASHIBA H Slow recovery of conduction velocity from use dependent inhibition induced by quinidine in guinea pig ventricular myocardium, 302  
 HASEGAWA K *see* TADAOKA S *et al*  
 HASHIBA K *see* HANO O *et al*  
 HASHIM I A *see* SIDDIQ T *et al*  
 HATTORI Y, TOYAMA J, and KODAMA I Cytosolic calcium staircase in ventricular myocytes isolated from guinea pigs and rats, 622  
 HAYASHI S *see* HARASAWA Y *et al*  
 HEARSE D J *see* MURASHITA T *et al*  
 SHATTOCK M J *et al*  
 HELLSTROM L *see* SYLVEN C *et al*  
 HENDRA T J, WICKENS D G, DORMANDY T L, and YUDKIN J S Platelet function and conjugated diene concentrations in diabetic and non-diabetic survivors of acute myocardial infarction, 676  
 HENRIQUEZ A *see* SCHRIJEN F V *et al*  
 HERMANS C *see* VANDEPLASSCHE G *et al*  
 HERRLIN B and SYLVEN C Increased arterial oxygen content - an important compensatory mechanism in chronic moderate heart failure, 384  
 HEXEBERG E, MATRE K, and LEKVEN J Non-uniform and non-linear end systolic pressure-length relations at low left ventricular pressures in anaesthetised cats, 295  
 HICKS M N and COBBE S M Effect of glibenclamide on extracellular potassium accumulation and the electrophysiological changes during myocardial ischaemia in the arterially perfused interventricular septum of rabbit, 407  
 HIGUCHI M de L *see* GUTIERREZ P S *et al*  
 HILBEL T *see* SCHMITT C *et al*  
 HINTZE T H *see* STEWART J M *et al*  
 HIRAI S *see* HASEGAWA J *et al*  
 HIRATA M *see* HANO O *et al*  
 HIRATA T *see* HANO O *et al*  
 HIRTH-DIETRICH C *see* DREXLER H *et al*  
 HJALMARSON A *see* FU L-X *et al*  
 HOBBAHN J *see* CONZEN P F *et al*  
 HOEBEKE J *see* FU L-X *et al*

- HOEGLER C T *see* STEWART J M *et al*  
 HOLLEY L K and McCULLOCH R M Comparison of biphasic and monophasic defibrillation waveforms in an isolated rabbit heart preparation, 979  
 HOLM-NIELSEN P *see* SCHMIDT T A *et al*  
 HOLMBERG S R M and WILLIAMS A J Phosphodiesterase inhibitors and the cardiac sarcoplasmic reticulum calcium release channel: differential effects of milrinone and enoximone, 537  
 HONBO N *see* KAGIYA T *et al*  
 HORACKOVA M, BERSEWICZ A, ROWDEN G, and WILKINSON M Neurohumoral regulation of excitation-contraction coupling in ventricular myocytes from cardiomyopathic hamsters, 1023  
 HOSFORD D *see* KOLTAI M *et al*  
 HOWARD R J, MOE G W, and ARMSTRONG P W Sequential echocardiographic-Doppler assessment of left ventricular remodelling and mitral regurgitation during evolving experimental heart failure, 468  
 HUDLICKA O *see* BROWN M D and HUDLICKA O  
 HUGHES J M B *see* JONES H A *et al*  
 HUIKURI H *see* PEUHKURINEN K *et al*  
 HUMPHREY P P A *see* CONNOR H E *et al*  
 HUMPHREY S M, CHOONG Y S, BUCKMAN J E, and GAVIN J B Influence of storage volume on functional recovery and metabolism of explanted hearts following cold cardioplegia: studies in the rat, 719

## I

- IGARASHI T *see* MORISHIMA Y *et al*  
 IIMURA O *see* GOTO M *et al*  
 IKAHEIMO M *see* PEUHKURINEN K *et al*  
 IKEOKA K *see* KAWASHIMA S *et al*  
 ILEBEK A *see* ELLINGSEN O *et al*  
 KIRKEBOEN K A *et al*  
 ILIADOROMITIS E K *see* GOTO M *et al*  
 INOUE H, YAMASHITA T, USUI M, NOZAKI A, SUGIMOTO T Antiarrhythmic drugs preferentially produce conduction block at the area of slow conduction in the re-entrant circuit of canine atrial flutter: comparative study of disopyramide, flecainide, and E-4031, 223  
 ISHIMOTO R *see* GOTO M *et al*  
 ITO M *see* TAKAHASHI N *et al*  
 IWAI T *see* TAKEDA N *et al*  
 IWASAKI T *see* KAWASHIMA S *et al*

## J

- JALONEN J *see* LINDQVIST A *et al*  
 JANSSON E *see* SYLVEN C *et al*  
 JENNINGS R B *see* TANAKA M *et al*  
 JIANG C, CRAKE T, and POOLE-WILSON P A Inhibition by barium and glibenclamide of the net loss of  $86Rb^{+}$  from rabbit myocardium during hypoxia, 414  
 POOLE-WILSON P A, and COLLINS P Comparison of rabbit coronary arterial relaxation induced by acetylcholine and lemakalim: activation of ATP sensitive potassium channels, 930  
 JOHNSTON C I *see* ARNOLDA L *et al*  
 JOHNSTON W E *see* SANTAMORE W P *et al*  
 JONES H A, LAKSHMINARAYAN S, BECKET J M, and HUGHES J M B Comparison of estimates of cardiac output by indicator dilution and freon 22 uptake during gas mixing in dogs, 523  
 JONES P J H *see* ROE R P *et al*  
 JOUGASAKI M *see* MUROHARA T *et al*  
 JUST H *see* DREXLER H *et al*

K

- KAGIYA T, ROCHA-SINGH K J, HONBO N, and KARLINER J S  
Alpha<sub>1</sub> adrenoceptor mediated signal transduction in neonatal rat ventricular myocytes: effects of prolonged hypoxia and reoxygenation, 609
- KAJIYA F *see* TADAOKA S *et al*
- KAKU T *see* FURUNO Y *et al*
- KAMIYA K, KODAMA I, and TOYAMA J A combination of inactivated sodium channel blockers causes competitive interaction on dV/dt<sub>max</sub> of single ventricular myocytes, 516
- KAPPAGODA C T, THOMSON A B R, and SENARATNE M P J Effect of nisoldipine on atherosclerosis in the cholesterol fed rabbit: endothelium dependent relaxation and aortic cholesterol content, 270  
*see also* SENARATNE M P J *et al*
- KARAOUSSALIS D G *see* ANTONATOS P G *et al*
- KARCH M *see* SCHMITT C *et al*
- KARLINER J S *see* KAGIYA T *et al*
- KASCHUBE M and BRASCH H Negative chronotropic but no antiarrhythmic effect of (+)- and (-)- naloxone in rats and guinea pigs, 230
- KASS D A *see* CALKINS H *et al*
- KATOH H *see* OGAWA S *et al*
- KAUCZOR H-U *see* DREXLER H *et al*
- KAWASHIMA S, SATANI A, TSUMOTO S, KONDO T, IKEOKA K, MORITA M, and IWASAKI T Coronary pressure-flow, pressure-function, and function-myocardial oxygen consumption relations in postischaemic myocardium, 837
- KAZDA S *see* DREXLER H *et al*
- KEDEM J, SCHOLTZ P M, and WEISS H R Augmented efficiency of regional myocardial work by ouabain, 916
- KELLER A M *see* FIGUEROA V M *et al*
- KELM M, FEELISCH M, DEUSSEN A, STRAUER B E, and SCHRADER J Release of endothelium derived nitric oxide in relation to pressure and flow, 831
- KEMPSFORD R D *see* MURASHITA T *et al*
- KIESZ R S, GEHMAN J D, and GASCHO J A Intracoronary adenosine and papaverine do not increase myocardial systolic thickening, 1042
- KIMURA A *see* TADAOKA S *et al*
- KIMURA M *see* HARASAWA Y *et al*
- KIRKEBOEN K A, AKSNES G, and ILEBEKK A Reduced prostaglandin release from the stunned porcine heart - significance for attenuated reactive hyperaemia, 594
- KISS E *see* SOOS I *et al*
- KISS G *see* BENYO Z *et al*
- KJELSDEN K *see* SCHMIDT T A *et al*
- KLONER R A *see* REDDY B R *et al*
- KODAMA I *see* HATTORI Y *et al*
- KODAMA I *see* KAMIYA K *et al*
- KOLTAI M, TOSAKI A, HOSFORD D, ESANU A, and BRAQUET P Effect of BN 50739, a new platelet activating factor antagonist, on ischaemia induced ventricular arrhythmias in isolated working rat hearts, 391
- KOMORI S *see* OSADA M *et al*
- KONDO T *see* KAWASHIMA S *et al*
- KORVENRANTA H *see* TRAVERSE J H *et al*
- KOTAKE H *see* HASEGAWA J *et al*
- KOVACH A G B *see* BENYO Z *et al*
- KRAEMER R, SMITH C W, and MULLANE K M Activated human polymorphonuclear leucocytes reduce rabbit papillary muscle function: role of the CD18 glycoprotein adhesion complex, 172
- KRAMS R *see* McFALLS E O *et al*
- KRANIAS E G *see* EDES I *et al*
- KREIS G J *see* STARK G *et al*
- KROMER E P *see* ELSNER D *et al*
- KUBLER W *see* SCHMITT C *et al*
- KURATA Y *see* HASEGAWA J *et al*
- KURODA A *see* SAITO K *et al*

- KUROIWA A *see* FURUNO Y *et al*
- KUSACHI S *see* SAITO D *et al*
- KUSUKAWA R *see* MATSUDA M *et al*

L

- LACHANCE D and GARCIA R Neither ventricles nor afterload relief influence the raised plasma atrial natriuretic factor induced by volume expansion in the spontaneously hypertensive rat, 475
- LAHORRA M *see* ROSEN S *et al*
- LAITINEN L A *see* LINDQVIST A *et al*
- LAKSHMINARAYAN S *see* JONES H A *et al*
- LATOUR J-G *see* ROUSSEAU G *et al*
- LAW W R, CARNEY P J, and McLANE M P Influence of adenosine on the stimulatory effect of isoprenaline and insulin on myocardial contractility in vivo, 151
- LEKVEN J *see* HEXEBERG E *et al*
- LEONE B J *see* VICTORY J G G *et al*
- LEVINE J H *see* CALKINS H *et al*
- LI K S *see* YAMAGUCHI S *et al*
- LIANG D *see* GEENEN D L *et al*
- LIANG Q-M *see* FU L-X *et al*
- LIN B *see* SUN K *et al*
- LIN C-I *see* WANG G-Y *et al*
- LINDQVIST A, PARVIAINEN P, JALONEN J, TUOMINEN J, VALIMAKI I, and LAITINEN L A Clinical testing of thermally stimulated cardiovascular oscillations in man, 666
- LINNALUOTO M *see* PEUHKURINEN K *et al*
- LONGRIDGE D J, FOLLENFANT M J, and FORD A J Single bolus administration of recombinant tissue plasminogen activator: effects on infarct related vessel patency, microvascular perfusion, and microvascular reocclusion in a canine model of thrombotic occlusion/reperfusion, 184

M

- McCulloch R M *see* HOLLEY L K and McCulloch R M
- McFALLS E O, DUNCAN D J, KRAMS R, WARD H, GORNICK C, and VERDOUW P D Endothelium dependent vasodilatation following brief ischaemia and reperfusion in anaesthetised swine, 659
- McGRATH B P *see* ARNOLDA L *et al*
- McINTYRE J T *see* STEWART J M *et al*
- McKOWN D P *see* FUJITA M *et al*
- McKOWN M D *see* FUJITA M *et al*
- McLANE M P *see* LAW W R *et al*
- McLAREN M *see* SANIABADI A R *et al*
- MAEKAWA K *see* SAITO D *et al*
- MALHOTRA A *see* GEENEN D L *et al*
- MANDARIM-DE-LACERDA C A A multivariate analysis of cardiac growth in human embryos: endocardial cushions and ventricular myocardium, 855
- MANKAD P S, CHESTER A H, and YACOB M H 5-Hydroxytryptamine mediates endothelium dependent coronary vasodilatation in the isolated rat heart by the release of nitric oxide, 244
- MANLEY B S *see* BARR S N *et al*
- MARINI A *see* MIGLIACCI R *et al*
- MARTIN C R *see* CHESTER A H *et al*
- MARUMO F *see* MASUDA T *et al*
- MARUTANI M *see* SAITO D *et al*
- MASHIBA H *see* HASEGAWA J *et al*
- MASLOVA M N *see* BAGROV A Y *et al*
- MASUDA T, SATOH K, ANDO K, TAKAMOTO T, and MARUMO F Response of plasma atrial natriuretic factor to experimentally induced aortic and mitral regurgitation in dogs, 192
- MATRE K *see* HEXEBERG E *et al*



- MATSUDA M, MATSUDA Y, YAMAGISHI T, TAKAHASHI T, HARAGUCHI M, TADA T, and KUSUKAWA R Effects of digoxin, propranolol, and verapamil on exercise in patients with chronic isolated atrial fibrillation, 453
- MATSUDA Y *see* MATSUDA M *et al*
- MATSUMOTO Y *see* HANO O *et al*
- MATSUURA H *see* SHATTOCK M J *et al*
- MAXWELL L and GAVIN J B The contribution of ischaemia to the development of microvascular incompetence in the myocardium, 491
- MAYEVSKY A *see* OSBAKKEN M *et al*
- MAYOUX E *see* PRIMOT I *et al*
- MEHTA J L *see* NICOLINI F A *et al*
- MERHI Y *see* ROUSSEAU G *et al*
- MERRILL G F *see* WEI H W *et al*
- METZ J *see* SCHMITT C *et al*
- MIGLIACCI R, BUSTI G, FLAMINI F, MARINI M, SANTUCCI C, NENCI G G, and GRESELE P Effect of glyceryl trinitrate on distensibility of peripheral muscular arteries in humans is not mediated by prostaglandins, 692
- MITCHELL M D *see* OSBAKKEN M *et al*
- MITSUOKA T *see* HANO O *et al*
- MIURA T *see* GOTO M *et al*
- MOE G W *see* HOWARD R J *et al*
- MONOPOLI A *see* BEVILACQUA M *et al*
- MONTERO M *see* SCHMITT C *et al*
- MORI M *see* HANO O *et al*
- MORISHIMA Y, TANAKA T, WATANABE K, IGARASHI T, YASUOKA M, and SHIBANO T Prevention by DV-7028, a selective 5-HT<sub>2</sub> receptor antagonist, of the formation of coronary thrombi in dogs, 727
- MORITA M *see* KAWASHIMA S *et al*
- MORLEY D *see* SANTAMORE W P *et al*
- MOULOPOULOS S D *see* ANTONATOS P G *et al*
- MULLANE K M *see* KRAEMER R *et al*
- MULLER A *see* PODZUWEIT T *et al*
- MULLER M J *see* MYERS P R *et al*
- MUNTZE A *see* ELSNER D *et al*
- MURASHITA T, HEARSE D J, and AVKIRAN M Effects of diltiazem as an additive to St Thomas's Hospital cardioplegic solution in isolated neonatal and adult rabbit hearts, 496
- KEMPSFORD R D, and HEARSE D J Oxygen supply and oxygen demand in the isolated working rabbit heart perfused with asanguineous crystalloid solution, 198
- MUROHARA T, YASUE H, OHGUSHI M, SAKAINO N, and JOUGASAKI M Age related attenuation of the endothelium dependent relaxation to noradrenaline in isolated pig coronary arteries, 1002
- MURRY C E *see* TANAKA M *et al*
- MYERS P R, BANITT P F, GUERRA R, and HARRISON D G Role of the endothelium in modulation of the acetylcholine vasoconstrictor response in porcine coronary microvessels, 129
- MULLER J M, and TANNER M A Effects of oxygen tension on endothelium dependent responses in canine coronary microvessels, 885
- N
- NADER H B *see* GUTIERREZ P S *et al*
- NAGAMOTO Y *see* FURUNO Y *et al*
- NAGANO M *see* TAKEDA N *et al*
- NAKAMURA I *see* TAKEDA N *et al*
- NAKAMURA Y *see* OGAWA S *et al*
- NANAS S N *see* ANTONATOS P G *et al*
- NATTEL S *see* ROUSSEAU G *et al*
- NAUTA J J P *see* GROENEVELD A B J *et al*
- NAWADA T *see* HASEGAWA J *et al*
- NENCI G G *see* MIGLIACCI R *et al*
- NEUSER D *see* DREXLER H *et al*
- NEZUO S *see* TADAOKA S *et al*
- NICHOLS W W *see* NICOLINI F A *et al*
- NICOLINI F A, NICHOLS W W, SALDEEN T G P, and MEHTA J L Pathological basis of failure of concurrent glyceryl trinitrate therapy to improve efficacy of tissue type plasminogen activator in coronary thrombosis, 283
- NISHIMURA K *see* BOWLES C T *et al*
- NORBIATO G *see* BEVILACQUA M *et al*
- NOZAKI A *see* INOUE H *et al*
- O
- O'DEA D J *see* STEWART J M *et al*
- OGAWA S, FURUNO I, SATOH Y, YOH S, SAEKI K, SADANAGA T, KATOH H, and NAKAMURA Y Quantitative indices of dispersion of refractoriness for identification of propensity to re-entrant ventricular tachycardia in a canine mode of myocardial infarction, 378
- OGINO K *see* HASEGAWA J *et al*
- OHBAYASHI N *see* SAITO D *et al*
- OHGUSHI M *see* MUROHARA T *et al*
- OHKUBO T *see* TAKEDA N *et al*
- O'LEARY E L *see* GOTO M *et al*
- OLIVIERO P *see* PRIMOT I *et al*
- OSADA M, SATO T, KOMORI S, and TAMURA K Protective effect of preconditioning on reperfusion induced ventricular arrhythmias of isolated rat hearts, 441
- OSBAKKEN M, MITCHELL M D, ZHANG D, MAYEVSKY A, and CHANCE B In vivo correlation of myocardial metabolism, perfusion, and mechanical function during increased cardiac work, 749
- OYEKAN A O and BOTTING J H Adrenaline inhibits adenosine diphosphate induced intravascular aggregation of rat platelets through stimulation of  $\alpha_2$  adrenoreceptors, 431
- P
- PAGANI M *see* RIMOLDI O *et al*
- PAGANI M R *see* RIMOLDI O *et al*
- PARMLEY W W *see* WOLFE C L *et al*
- PARRATT J R *see* VEGH A *et al*
- WAINWRIGHT C L and PARRATT J R
- PARVIAINEN P *see* LINDQVIST A *et al*
- PATEL M B *see* STEWART J M *et al*
- PATTERSON R E *see* STACK R K and PATTERSON R E
- PATTISON C W *see* BOWLES C T *et al*
- PEARCE A P *see* SPINALE F G *et al*
- PEPPER J R *see* BOWLES C T *et al*
- PETER K *see* CONZEN P F *et al*
- PETERSON J T *see* SANTAMORE W P *et al*
- PEUHKURINEN K, IKAHEIMO M, AIRAKSINEN J, HUIKURI H, LINNALUOTO M, and TAKKUNEN J Changes in myocardial energy metabolism in elective coronary angioplasty, 158
- PIEBER T *see* STARK G *et al*
- PIENE H *see* SLORDAHL S A and PIENE H
- PIERINI S *see* RIMOLDI O *et al*
- PIETRI S, BERNARD M, and COZZONE P J Hydrodynamic and energetic aspects of exogenous free fatty acid perfusion in the isolated rat heart during high flow anoxia and reoxygenation: a 31P magnetic resonance study, 398
- PILGER E *see* STARK G *et al*
- PINTO Y M *see* VAN WIJNGAARDEN J *et al*
- PLAPPERT T *see* SUTTON M G St J *et al*
- PODZUWEIT T, BECK H, MULLER A, BADER R, GORLACH G, and SCHELD H H Absence of xanthine oxidoreductase activity in human myocardium, 820
- POLU J M *see* SCHRIJEN F V *et al*
- POOLE-WILSON P *see* CORR L *et al*
- POOLE-WILSON P A *see* JIANG C *et al*
- PREEDY V R *see* SIDDIQ T *et al*

- PRIMOT I, MAYOUEX E, OLIVIERO P, and CHARLEMAGNE D Effect of pressure overload on cardiac  $Ca^{2+}$  antagonist binding sites of guinea pig. Comparison with the adaptational response of the hypertrophied rat heart, 875  
 PRINSZE F J and BOUMAN L N The cellular basis of intrinsic sinus node recovery time, 546  
 PRZYKLENK K *see* REDDY B R *et al*

R

- RAKIN S W *see* SUNGA P S and RABKIN S W  
 RAKUSAN K *see* CAMPBELL S E and RAKUSAN K  
 REDDY B R, WYNNE J, KLONER R A, and PRZYKLENK K Pretreatment with the iron chelator desferrioxamine fails to provide sustained protection against myocardial ischaemia-reperfusion injury, 711  
 REIMER K A *see* TANAKA M *et al*  
 RICHARD V J *see* TANAKA M *et al*  
 RICHARDSON P J *see* SIDDIQ T *et al*  
 RIEGGER G A J *see* ELSNER D *et al*  
 RIMOLDI O, PIERINI S, PAGANI M R, and PAGANI M Reduced cardiovascular sympathetic excitatory responses during iloprost infusion in conscious dogs, 793  
 ROCHA-SINGH K J *see* KAGIYA T *et al*  
 ROE R P, JONES P J H, FROHLICH J J, and SCHOELLER D A Association between apolipoprotein E phenotype and endogenous cholesterol synthesis as measured by deuterium uptake, 249  
 ROSEN S, LAHORRA M, COHEN M V, and BUTTRICK P Ventricular fibrillation threshold is influenced by left ventricular stretch and mass in the absence of ischaemia, 458  
 ROSENDORFF C *see* BENZE J *et al*  
 ROUKOYATKINA N I *see* BAGROV A Y *et al*  
 ROUSSEAU G, ST-JEAN G, LATOUR J-G, MERHI Y, NATTEL S, and WATERS D Diltiazem at reperfusion reduces neutrophil accumulation and infarct size in dogs with ischaemic myocardium, 319  
 ROWDEN G *see* HORACKOVA M *et al*  
 RUIZ-PETRICH E, DE LORENZI F, and CHARTIER D Role of the inward rectifier  $I_{K1}$  in the myocardial response to hypoxia, 17

S

- SADANAGA T *see* OGAWA S *et al*  
 SAEKI K *see* OGAWA S *et al*  
 SAKAWA T *see* TAKAHASHI N *et al*  
 SAITO D, TANI H, KUSACHI S, UCHIDA S, OHBAYASHI N, MARUTANI M, MAEKAWA K, TSUJI T, and HARAOKA S Oxygen metabolism of the hypertrophic right ventricle in open chest dogs, 731  
 SAITO K, KURODA A, and TANAKA H Characterisation of  $\beta_1$  and  $\beta_2$  adrenoceptor subtypes in the atrioventricular node of diabetic rat hearts by quantitative autoradiography, 950  
 SAKAINO N *see* MUROHARA T *et al*  
 SAKS V A *see* CONOREV E A *et al*  
 SAKURAI S *see* FURUNO Y *et al*  
 SALAS-CADEVILLA A *see* CINCA J *et al*  
 SALDEEN T G P *see* NICOLINI F A *et al*  
 SANIABADI A R, FISHER T C, McLAREN M, BELCH J F, and FORBES C D Effect of dipyridamole alone and in combination with aspirin on whole blood platelet aggregation, PGI<sub>2</sub> generation, and red cell deformability *ex vivo* in man, 177  
 SANTAMORE W P, MORLEY D, TULENKO T N, and BOVE A A Importance of endothelial function in stenotic haemodynamic responses, 988  
 PETERSON J T, JOHNSTON W E, and VINTEN-JOHANSEN J Variable non-linearity in end systolic pressure-volume relationships results from interaction between end diastolic and developed pressure-volume relations, 36  
*see also* YAMAGUCHI S *et al*

- SANTUCCI C *see* MIGLIACCI R *et al*  
 SATANI A *see* KAWASHIMA S *et al*  
 SATO T *see* OSADA M *et al*  
 SATOH K *see* MASUDA T *et al*  
 SATOH Y *see* OGAWA S *et al*  
 SAWAYAMA T *see* TADAOKA S *et al*  
 SCHANNE O F *see* FERMINI B and SCHANNE O F  
 SCHELD H H *see* PODZUWETT T *et al*  
 SCHEUER J *see* GEENEN D L *et al*  
 SCHMIDT T A, HOLM-NIELSEN P, and KJELSDEN K No upregulation of digitalis glycoside receptor ( $Na,K$ -ATPase) concentration in human heart left ventricle samples obtained at necropsy after long term digitalisation, 684  
 SCHMITT C, BEYER T, KARCH M, METZ J, HILBEL T, MONTERO M, BRACHMANN J, and KUBLER W Characteristics of endocardial monophasic action potentials recorded from areas with fractionated bipolar electrograms in infarcted canine ventricular myocardium, 984  
 SCHNEIDER E and FELIX W Effects of acetylcholine on different muscarinic receptors in the perfused porcine ear vein, 42  
 SCHOELLER D A *see* ROE R P *et al*  
 SCHOLTZ P M *see* KEDEM J *et al*  
 SCHRADER J *see* KELM M *et al*  
 SCHRIJEN F V, HENRIQUEZ A, CANDINA R, and POLU J M Pulmonary blood volume and haemodynamic changes with legs raised in chronic lung disease patients, 895  
 SCHULTE B A *see* SPINALE F G *et al*  
 SCROFANI R *see* BEVILACQUA M *et al*  
 SEJERSTED O M *see* ELLINGSEN O *et al*  
 SENARATNE M P J, THOMSON A B R, and KAPPAGODA C T Lovastatin prevents the impairment of endothelium dependent relaxation and inhibits accumulation of cholesterol in the aorta in experimental atherosclerosis in rabbits, 568  
*see also* KAPPAGODA C T *et al*  
 SHAH S S *see* BOWLES C T *et al*  
 SHAPIRO G C *see* STEWART J M *et al*  
 SHAPIRO J T *see* STEWART J M *et al*  
 SHAROV V G *see* CONOREV E A *et al*  
 SHATTOCK M J, MATSUURA H, and HEARSE D J Functional and electrophysiological effects of oxidant stress on isolated ventricular muscle: a role for oscillatory calcium release from sarcoplasmic reticulum in arrhythmogenesis?, 645  
 SHERWOOD G R *see* GANGULY P K and SHERWOOD G R  
 SHIBANO T *see* MORISHIMA Y *et al*  
 SIDDIQ T, RICHARDSON P J, HASHIM I A, and PREEDY V R Effect of acute anaesthesia on synthesis of contractile and non-contractile proteins of heart muscle and mixed proteins of types I and II fibre rich skeletal muscles of rat, 314  
 SIEVERS R *see* WOLFE C L *et al*  
 SJOGREN K-G *see* FU L-X *et al*  
 SLORDAHL S A and PIENE H Haemodynamic effects of arterial compliance, total peripheral resistance, and glyceryl trinitrate on regurgitant volume in aortic regurgitation, 869  
 SMITH C W *see* KRAEMER R *et al*  
 SOLER-SOLER J *see* CINCA J *et al*  
 SOMOGYI A *see* SYLVEN C *et al*  
 SOOS I, FACKSO A, EDES I, KISS E, and CSANADY M Effects of chronic alcohol ingestion on myocardial lipid and fatty acid composition in adult turkeys, 881  
 SOTONYI P *see* SYLVEN C *et al*  
 SPINALE F G, PEARCE A P, SCHULTE B A, and CRAWFORD F A Ventricular function and  $Na^+$ ,  $K^+$ -ATPase activity and distribution with chronic supraventricular tachycardia, 138  
 ST-JEAN G *see* ROUSSEAU G *et al*  
 STACK R K and PATTERSON R E Haemodynamic effects of intracoronary neuropeptide Y in dogs: resistance to alpha adrenergic blockade, 757

- STALEY N A and TOBIN J D Reversible effects of ethanol in utero on cardiac sarcoplasmic reticulum of guinea pig offspring, 27
- STARK G, WINDISCH M, HALLER E M, STARK U, PIEBER T, PILGER E, KREJS G J, and TRITTHART H A Acute effects of amiodarone on ultrastructure and electrical activity of isolated guinea pig hearts, 807
- STARK U *see* STARK G *et al*
- STASCH J-P *see* DREXLER H *et al*
- STEWART J M, O'DEA D J, SHAPIRO G C, PATEL M B, McINTYRE J T, GEWITZ M H, HOEGLER C T, SHAPIRO J T, ZEBALLOS G A, and HINTZE T H Atrial compliance determines the nature of passive atrial stretch and plasma atrial natriuretic factor in the conscious dog, 784
- STEWART-LEE A L, ABERDEEN J, and BURNSTOCK G Sympathetic neurotransmission in the Watanabe heritable hyperlipidaemic rabbit mesentery artery, 1035
- STOLF N *see* GUTIERREZ P S *et al*
- STRAUER B E *see* KELM M *et al*
- STUYVERS B *see* GRELLLET J *et al*
- SUGIMOTO T *see* INOUE H *et al*
- SUN K, LIN B, WANG C, ZHU H Comparison of selective arginine vasopressin V1 and V2 receptor antagonists in burn shock in the rat, 265
- SUNGA P S and RABKIN S W Reversal of angiotensin II effect on the cyclic adenosine 3',5' monophosphate response to isoprenaline in cardiac hypertrophy, 965
- SUTTON M G St J, PLAPPERT T, and DOUBILET P Relationship between placental blood flow and combined ventricular output with gestational age in normal human fetus, 603
- SYLVEN C, ARNER P, HELLSTROM L, JANSSON E, SOTONYI P, SOMOGYI A, and BRONNEGARD M Left ventricular beta<sub>1</sub> and beta<sub>2</sub> adrenoceptor mRNA expression in normal and volume overloaded human heart, 737  
*see also* HERRLIN B and SYLVEN C
- SZABO C *see* BENYO Z *et al*
- SZEKERES L *see* VEGH A *et al*
- T**
- TADA T *see* MATSUDA M *et al*
- TADAOKA S, WADA Y, KIMURA A, YADA T, TAMURA K, HASEGAWA K, NEZUO S, SAWAYAMA T, TSUJIOKA K, and KAJIYA F Effects of left ventricular hypertrophy secondary to systemic hypertension on left coronary artery flow dynamics, 955
- TAKAHASHI N, ITO M, SAIKAWA T, and ARITA M Nicorandil suppresses early afterdepolarisation and ventricular arrhythmias induced by caesium chloride in rabbits in vivo, 445
- TAKAHASHI T *see* MATSUDA M *et al*
- TAKAMOTO T *see* MASUDA T *et al*
- TAKEDA N, NAKAMURA I, OHKUBO T, IWAI T, TANAMURA A, and NAGANO M Effects of long term treatment with an  $\alpha_1$  adrenoceptor blocker on cardiac hypertrophy, contractility, and myosin isoenzymes in spontaneously hypertensive rats, 565
- TAKKUNEN J *see* PEUHKURINEN K *et al*
- TALOSI L *see* EDES I *et al*
- TAMURA K *see* OSADA M *et al*
- TADAOKA S *et al*
- TANAKA H *see* SAITO K *et al*
- TANAKA M, EARNHARDT R C, MURRY C E, RICHARD V J, JENNINGS R B, and REIMER K A Hypoxic reperfusion to remove ischaemic catabolites prior to arterial reperfusion does not limit the size of myocardial infarcts in dogs, 7
- TANAKA T *see* MORISHIMA Y *et al*
- TANAMURA A *see* TAKEDA N *et al*
- TANI H *see* SAITO D *et al*
- TANNER M E *see* MYERS P R *et al*
- TANOSSE L *see* GRELLLET J *et al*
- TAYLOR A L *see* GRAYBURN P A *et al*
- THEOCHARIS A G *see* ANTONATOS P G *et al*
- THIJS L G *see* GROENEVELD A B J *et al*
- THOMSON A B R *see* KAPPAGODA C T *et al*
- SENARATNE M P J *et al*
- TOBIN J D *see* STALEY N A and TOBIN J D
- TOSAKI A *see* KOLTAI M *et al*
- TOYAMA J *see* HATTORI Y *et al*
- KAMIYA K *et al*
- TRAVERSE J H, KORVENRANTA H, and CARLO W A Effect of ventilatory strategy on cardiac output during high frequency jet ventilation, 309
- TRITTHART H A *see* STARK G *et al*
- TSUJI T *see* SAITO D *et al*
- TSUJIOKA K *see* TADAOKA S *et al*
- TSUMOTO S *see* KAWASHIMA S *et al*
- TULENKO T N *see* SANTAMORE W P *et al*
- TUOMINEN J *see* LINDQVIST A *et al*
- U**
- UCHIDA S *see* SAITO D *et al*
- UKHANOVA M V *see* BAGROV A Y *et al*
- USUI M *see* INOUE H *et al*
- V**
- VAGO T *see* BEVILACQUA M *et al*
- VALENZUELA F and VASSALLE M Role of membrane potential in Ba<sup>2+</sup> induced automaticity in guinea pig cardiac myocytes, 421
- VALIMAKI I *see* LINDQVIST A *et al*
- VAN DEN BOS, Gerard, referee 976-978
- VAN DEN BOS G C *see* GROENEVELD A B J *et al*
- VAN GILST W H *see* VAN WIJNGAARDEN J *et al*
- VAN HAECKE J *see* VANDEPLASSCHE G *et al*
- VAN LAMBALGEN A A *see* GROENEVELD A B J *et al*
- VAN WIJNGAARDEN J, PINTO Y M, VAN GILST W H, DE GRAEFF P A, DE LANGEN C D J, and WESSELING H Converting enzyme inhibition after experimental myocardial infarction in rats: comparative study between spirapril and zofenopril, 936
- VANDEPLASSCHE G, HERMANS C, VAN HAECKE J, WOUTERS L, BORGERS M, and FLAMENG W Evaluation of factors influencing myocardial infarct size in unconscious dogs, 844
- VASSALLE M *see* VALENZUELA F and VASSALLE M
- VEGH A, SZEKERES L, and PARRATT J R Transient ischaemia induced by rapid cardiac pacing results in myocardial preconditioning, 1051
- VENGEN O A *see* ELLINGSEN O *et al*
- VERDOUW P D *see* McFALLS E O *et al*
- VICTORY J G G, FOEX P, and LEONE B J End systolic pressure-length relations in halothane anaesthetised dogs: effects of regional ischaemia and inotropic agents, 110
- VINTEN-JOHANSEN J *see* SANTAMORE W P *et al*
- VOLLMAR B *see* CONZEN P F *et al*
- W**
- WAAGSTEIN F *see* FU L-X *et al*
- WADA Y *see* TADAOKA S *et al*
- WAINAI Y Adaptive mechanisms of the aorta and left ventricle to volume overloading following abrupt aortic regurgitation in rabbits, 463
- WAINWRIGHT C L and PARRATT J R Failure of cyclo-oxygenase inhibition to protect against arrhythmias induced by ischaemia and reperfusion: implications for the role of prostaglandins as endogenous myocardial protective substances, 93
- WANG C *see* SUN K *et al*
- WANG G-Y, WEI J, and LIN C-I Depressant effect of adenosine in isolated human and canine atrial fibres, 31
- WARD H *see* McFALLS E O *et al*
- WATANABE K *see* MORISHIMA Y *et al*



WATERS D *see* ROUSSEAU G *et al*

WEEKLY L B Angiotensin-II acts centrally to alter renal sympathetic nerve activity and the intrarenal renin-angiotensin system, 353

WEI H W, FRIEDRICH G S and MERRILL G F Route dependent effects of 2-chloroadenosine and theophylline in isolated perfused guinea pig hearts, 529

WEI J *see* WANG G-Y *et al*

WEISS H R *see* GERLOCK T *et al*  
KEDEM J *et al*

WESSELING H *see* VAN WIJNGAARDEN J *et al*

WHITE M *see* GERSON M C *et al*

WICKENS D G *see* HENDRA T J *et al*

WILKINSON M *see* HORACKOVA M *et al*

WILLIAMS A J *see* HOLMBERG S R M and WILLIAMS A J

WILSON G J *see* AXFORD-GATLEY R A and WILSON G J

WINDISCH M *see* STARK G *et al*

WOLFE C L, DONNELLY T J, SIEVERS R, and PARMLEY W W  
Myocardial protection with verapamil during ischaemia and reperfusion: dissociation between myocardial salvage and the degree of ATP depletion during ischaemia, 101

WOLNEY A C *see* FIGUEROA V M *et al*

WORNER F *see* CINCA J *et al*

WOUTERS L *see* VANDEPLASSCHE G *et al*

WRIGHT G Effects of vasoactive drugs upon haemodynamic power and input impedance in normal rats, 923

WYNNE J *see* REDDY B R *et al*

Y

YACOUB M *see* CHESTER A H *et al*

YACOUB M H *see* BOWLES C T *et al*  
MANKAD P S *et al*

YADA T *see* TADAOKA S *et al*

YAMAGISHI T *see* MATSUDA M *et al*

YAMAGUCHI S, HARASAWA H, LI K S, ZHU D, and SANTAMORE W P  
Comparative significance in systolic ventricular interaction, 774

YAMASHITA T *see* INOUE H *et al*

YANG H-Y *see* BENZE J *et al*

YANO K *see* HANO O *et al*

YASUE H *see* MUROHARA T *et al*

YASUOKA M *see* MORISHIMA Y *et al*

YELLON D M *see* GOTO M *et al*

YOH S *see* OGAWA S *et al*

YUDKIN J S *see* HENDRA T J *et al*

Z

ZAIDI M and BEVIS P J R Enhanced circulating levels of neurally derived calcitonin gene related peptide in spontaneously hypertensive rats, 125

ZEBALLOS G A *see* STEWART J M *et al*

ZHABKO E P *see* BAGROV A Y *et al*

ZHANG D *see* OSBAKKEN M *et al*

ZHU D *see* YAMAGUCHI S *et al*

ZHU H *see* SUN K *et al*

# SUBJECT INDEX

## 1991 Volume 24

### A

- ACE inhibitors compared, after myocardial infarction, rats, 936
- Acetylcholine  
and adrenoceptor agonists, responses of rabbit epicardial coronary artery, 256: correction, 528  
effects on different muscarinic receptors, perfused porcine ear vein, 42  
induced coronary vasodilatation, and ATP sensitive potassium channels, 930  
response, endothelium role, porcine coronary microvessels, 129
- Action potential  
duration, determinants, neonatal rat ventricle cells, 235  
and left ventricular pressure, contraction-excitation feedback, 343
- Adenosine  
depressant effect in isolated human and canine atrial fibres, 31  
influence on stimulatory effect of isoprenaline and insulin on myocardial contractility in vivo, 151  
infusion during early reperfusion, failure to limit myocardial infarct size in collateral deficient species, 943  
infusion and myocardial oxygen supply and consumption in reperfused canine myocardium, 630  
intracoronary, does not increase myocardial systolic thickening, 1042
- Adrenaline inhibits adenosine diphosphate induced intravascular aggregation of rat platelets through stimulation of  $\alpha_2$  adrenoceptors, 431
- Adrenergic beta receptor agonists, frequency dependent myocardial potassium fluxes during, 364
- Adrenergic receptors, mRNA expression, left ventricular, human heart, 737
- Adrenoceptor agonists and acetylcholine, responses of rabbit epicardial coronary artery, 256: correction, 528
- Afterdepolarisation, early, and sea anemone toxin, 815
- Afterload, increased, in heart failure, roles of vasopressin and angiotensin II, rabbits, 68
- Age related attenuation of endothelium dependent relaxation to noradrenaline in isolated pig coronary arteries, 1002
- Alcohol ingestion, effects on myocardial lipid and fatty acid composition, turkeys, 881
- $\alpha_1$  adrenoceptor  
effects of long term treatment, spontaneously hypertensive rats, 565  
mediated signal transduction in neonatal rat ventricular myocytes, effects of prolonged hypoxia and reoxygenation, 609  
subtype mediates noradrenaline induced contraction of human internal mammary artery, radioligand and functional studies, 290
- $\alpha_2$  adrenoceptors, adrenaline inhibits adenosine diphosphate induced intravascular aggregation of rat platelets through stimulation, 431
- $\alpha$  adrenergic agents and phorbol esters, effect on phosphorylation of cardiac sarcolemmal proteins, 510
- $\alpha$  tocopherol, oral administration, in reduction of experimental myocardial infarct size, 89
- Amiodarone  
acute effects on ultrastructure and electrical activity, guinea pig, 807  
effects on beta adrenoceptor density and adenylate cyclase response, 503
- Anaesthesia, effect on cardiac and skeletal muscle protein synthesis, rat, 314
- Angioplasty, elective coronary, changes in myocardial energy metabolism, 158
- Angiotensin II  
central action to alter renal sympathetic nerve activity and intrarenal renin-angiotensin, 353  
induced phosphorylation of myosin light chain in vascular smooth muscle cells from SHR and WKY rats, 617  
reversal effect on cAMP response to isoprenaline in cardiac hypertrophy, 965  
and vasopressin, and afterload in heart failure, rabbits, 68
- Antiarrhythmic agents, frequency dependent effects on conduction, and rise time of ventricular monophasic action potential, 217  
preferentially produce conduction block, disopyramide, flecainide and E-4031 compared, atrial flutter, dog, 223  
*see also* Class 1 antiarrhythmic drugs
- Antiarrhythmic effects of (+)- and (-)- naloxone, rats and guinea pigs, 230
- Aorta (aortic)  
constriction, noradrenaline turnover and metabolism in myocardium following, rats, 579  
dissection, decrease in sulphated glycosaminoglycans, 742  
and left ventricle, adaptive mechanisms to volume overloading following abrupt aortic regurgitation, rabbits, 463  
pressure, acute changes, effect on coronary reserve, 995  
regurgitation, abrupt, adaptive mechanisms of aorta and left ventricle to volume overloading following, rabbits, 463  
experimentally induced, response of plasma atrial natriuretic factor, dogs, 192  
haemodynamic effects of arterial compliance, total peripheral resistance, and glyceryl trinitrate on regurgitant volume, 869  
valve morphology, influence on regurgitant volume in aortic regurgitation, in vivo evaluation, 73; correction, 440
- Apolipoprotein E phenotype and endogenous cholesterol synthesis, association between, as measured by deuterium uptake, 249
- Arginine vasopressin V1 and V2 receptor antagonists, comparison in burn shock, rat, 265
- Arrhythmias  
failure of cyclo-oxygenase inhibition to protect against, 93  
ventricular, induced, in regionally denervated porcine heart with healed myocardial infarction, 586
- Arrhythmogenesis  
oscillatory calcium release for sarcoplasmic reticulum in, 645  
potassium role and rabbit dual coronary perfusion model, 1010
- Arterial compliance  
effect on regurgitant volume in aortic regurgitation, 869  
glyceryl trinitrate, and prostaglandins, 692
- Arterial oxygen content, increased, important compensatory mechanism in chronic moderate heart failure, 384
- Aspirin and dipyridamole combined, platelet inhibitory and red cell deformability, effects, 177
- Atherosclerosis, sympathetic neurotransmission in Watanabe rabbit mesenteric artery, 1035
- ATP sensitive potassium channels, activation, and acetylcholine and lemakalin induced coronary vasodilatation, 930
- Atrial compliance determines nature of passive atrial stretch and plasma atrial natriuretic factor, conscious dog, 784
- Atrial fibres, depressant effect of adenosine, 31

- Atrial fibrillation, chronic isolated, effects of digoxin, propranolol, and verapamil on exercise, 453
- Atrial flutter, conduction in re-entrant circuit, effects of antiarrhythmic drugs compared, 223
- Atrial natriuretic factor  
   endogenous, involved in natriuresis following sodium loading in rats with chronic heart failure, 558  
   plasma, effect of atrial compliance, conscious dog, 784  
   response to experimentally induced aortic and mitral regurgitation, dogs, 192  
   volume expansion induced, in spontaneously hypertensive rat, effect of ventricles and afterload relief, 475
- Atrioventricular node, beta adrenoceptor characterisation, in diabetic rats, 950
- ATXII, pharmacological evaluation of early afterdepolarisations after, 815
- Automaticity, barium-induced, cardiac myocytes, role of membrane potential, guinea pigs, 421
- Autoradiography, quantitative, beta adrenoceptor characterisation in atrioventricular node, rats, 950
- B**
- Barium and glibenclamide, inhibition of net loss of  $86\text{Rb}^+$  during myocardial hypoxia, 414
- Barium-induced automaticity, cardiac myocytes, role of membrane potential, guinea pigs, 421
- Beta<sub>1</sub> and beta<sub>2</sub> adrenoceptor mRNA, left ventricular, human heart, 737
- Beta adrenoceptors  
   characterisation in atrioventricular node of diabetic rat hearts, 950  
   density, and adenylate cyclase response, effect of amiodarone, 503
- Beta-adrenergic receptors, interaction with non-beta-adrenergic binding sites for 125I-iodocyanopindolol, comparative study, 764
- Blood flow, myocardial, importance of basal nitric oxide synthesis in regulation, 700
- BN 50739, new platelet activating factor antagonist, effect on ischaemia induced ventricular arrhythmias in isolated working rat hearts, 391
- Burn shock, comparison of arginine vasopressin V1 and V2 receptor antagonists, 265
- C**
- Caesium chloride induced afterdepolarisation and ventricular arrhythmias suppressed by nicorandil, rabbits in vivo, 445
- Calcitonin gene related peptide, in spontaneously hypertensive rats, enhanced circulating levels, 125
- Calcium<sup>2+</sup> antagonist binding sites, effect of pressure overload, guinea pig, 875
- Calcium, effect on end systolic pressure-length relations, 110
- Capillary supply and cardiac performance after chronic dobutamine treatment, rabbit, 909
- Cardiac hypertrophy  
   effects of long term treatment with alpha<sub>1</sub> adrenoceptor blocker, spontaneously hypertensive rats, 565  
   and nicardipine, effects on left ventricular mass, 484  
   reversal of angiotensin II effect on cyclic adenosine cAMP response to isoprenaline, 965
- Cardiac muscle function, and oxidant stress, 645
- Cardiac output  
   comparison of estimates, by indicator dilution and freon 22 uptake during gas mixing, dogs, 523  
   effect of ventilatory strategy during high frequency jet ventilation, 309
- Cardiomyopathy, arrhythmogenic properties of ventricular myocardium, hamster, 49
- Cardioplegia, cold, function and metabolism of explanted hearts following, rats, 719
- Cardiovascular oscillations, thermally stimulated, clinical testing, man, 666
- Cardiovascular Research  
   the first 25 years, 969-970  
   the first issue, abstracts, 970-976
- Cardiovascular sympathetic excitatory responses, reduced, during iloprost infusion, conscious dogs, 793
- CD18 glycoprotein adhesion complex, role, and activated human polymorphonuclear leucocytes reduction of rabbit papillary muscle function, 172
- Cellular basis of intrinsic sinus node recovery time, 546
- 2-Chloroadenosine, in isolated perfused guinea pig hearts, route dependent effects, 529
- Cholesterol  
   aortic content, effect of nisoldipine, rat, 270  
   synthesis, endogenous, and apolipoprotein E phenotype, association between, as measured by deuterium uptake, 249
- Circulation models, mock, development for assessment of counterpulsation systems, 901
- Class I antiarrhythmic drugs, interaction between, on cardiac sodium channels, 516  
   *see also* Anti-arrhythmic agents
- Collateral channels, bidirectional function, conscious dogs, 58
- Conduction, cardiac, acute effects of amiodarone, guinea pig, 807
- Conduction velocity, slow recovery, from quinidine-induced use dependent inhibition, 302
- Contractility, effects of long term treatment with alpha<sub>1</sub> adrenoceptor blocker, spontaneously hypertensive rats, 565
- Contraction-excitation coupling, and abnormal electrophysiological behaviour, 637
- Contraction-excitation feedback in ejecting whole heart model, dependence of action potential duration on left ventricular diastolic and systolic pressures, 343
- Converting enzyme inhibition after experimental myocardial infarction, rats, spirapril and zofenopril compared, 936
- Coronary  
   artery, 5-HT receptor profile: correspondence, 263  
   inhibitory effect of spiradoline, 802  
   responses to acetylcholine and adrenoceptor agonists, 256: correction, 528  
   blood flow, heterogeneous, maldistribution during canine endotoxin shock, 80  
   flow in pressure load hypertrophy, 955  
   relaxation and aging, pig coronary arteries, 1002  
   reserve, effect of acute changes in aortic pressure, 995  
   thrombosis, failure of glyceryl trinitrate therapy to improve efficacy of tissue type plasminogen activator, 283  
   prevention by DV-7028, dogs, 727
- Correction, 352
- Crystalloid perfused rabbit heart, oxygen supply and demand, 198
- Cyclic AMP response to isoprenaline in cardiac hypertrophy, angiotensin reversal effect, 965
- Cyclo-oxygenase inhibition, failure to protect against arrhythmias, 93
- Cytosolic calcium staircase, in ventricular myocytes isolated from guinea pigs and rats, 622
- D**
- Defibrillation, biphasic and monophasic compared, Langendorff rabbit heart model, 979
- Desferrioxamine fails to provide sustained protection against myocardial ischaemia-reperfusion injury, 711

- Diabetes, beta adrenoceptor characterisation in atrioventricular node, rats, 950
- Digitalisation, no upregulation of digitalis glycoside receptor, necropsy studies, 684
- Digoxin  
  effects on exercise in chronic isolated atrial fibrillation, 453  
  like immunoreactivity, and acute myocardial infarction, 371
- Diltiazem  
  at reperfusion reduces neutrophil accumulation and infarct size in dogs with ischaemic myocardium, 319  
  effects as additive to St Thomas's Hospital cardioplegic solution, in isolated neonatal and adult rabbit hearts, 496
- Dipyridamole, with and without aspirin, platelet inhibitory and red cell deformability, effects, 177
- Disopyramide, effect on conduction in re-entrant circuit of atrial flutter, dog, 223
- Dobutamine, chronic treatment, capillary supply and cardiac performance after, rabbit, 909
- Doxorubicin induced cardiomyopathy, receptor signalling, 145; correction, 352
- Duteplase, thrombolytic efficacy in canine occlusion/reperfusion, 184
- DV-7028, in prevention of coronary thrombi formation, dogs, 727
- dV/dtmax of single ventricular myocytes, competitive interaction on by combination of sodium channel blockers, 516
- E**
- E-4031, effect on conduction in re-entrant circuit of atrial flutter, dog, 223
- Electrophysiological effect of varied rate and extent of acute in vivo left ventricular load increase, 637
- Electrophysiology, cardiac, and metoprolol, 652
- End systolic pressure-length relations  
  in halothane anaesthetised dogs, effects of regional ischaemia and inotropic agents, 110  
  non-uniform and non-linear, at low left ventricular pressures, anaesthetised cats, 295
- End systolic pressure-volume relationships, non-linearity, 36
- Endocardial cushion tissue during cardiac growth, 855
- Endothelial function, importance in stenotic haemodynamic responses, 988
- Endothelium  
  dependent coronary vasodilatation mediated by 5-hydroxytryptamine by release of nitric oxide, isolated rat heart, 244  
  dependent relaxation, effect of nisoldipine, rat, 270  
  lovastatin prevents impairment, 568  
  to noradrenaline, age related attenuation, 1002  
  dependent responses, effects of oxygen tension, canine coronary microvessels, 885  
  dependent vasodilatation following brief ischaemia-reperfusion, anaesthetised swine, 659  
  derived nitric oxide, release, in relation to pressure and flow, 831  
  effects on acetylcholine response, porcine coronary microvessels, 129
- Endotoxin shock, maldistribution of heterogeneous coronary blood flow during, dog, 80
- Enoximone, effects on sarcoplasmic reticulum calcium release channel, 537
- Ethanol, reversible effects in utero on cardiac sarcoplasmic reticulum, guinea pig offspring, 27
- Excitation-contraction coupling, in ventricular myocytes from cardiomyopathic hamsters, neurohumoral regulation, 1023
- Exercise, effects of digoxin, propranolol and verapamil, in chronic isolated atrial fibrillation, 453
- F**
- Fatty acids  
  composition, effect of alcohol ingestion, turkeys, 881  
  free, exogenous, perfusion during high flow anoxia and reoxygenation, 398
- Flecainide  
  effect on conduction in re-entrant circuit of atrial flutter, dog, 223  
  frequency dependent effects on conduction, and rise time of ventricular monophasic action potential, 217
- Free radicals and platelets after myocardial infarction, 676
- Frequency dependent effects of antiarrhythmic agents on conduction, and rise time of ventricular monophasic action potential, 217
- G**
- G proteins in doxorubicin induced cardiomyopathy, receptor signalling, 145; correction, 352
- Gas mixing, cardiac output measurement during, dogs, 523
- Glibenclamide  
  and barium, inhibition of net loss of  $86\text{Rb}^+$  during myocardial hypoxia, 414  
  and  $\text{K}^+$  accumulation, during myocardial ischaemia, 407
- Glyceryl trinitrate  
  arterial compliance, and prostaglandins, 692  
  effect on regurgitant volume in aortic regurgitation, 869  
  failure to improve efficacy of tissue type plasminogen activator in coronary thrombosis, 283
- Glycosaminoglycans, sulphated, decrease in aortic dissection, 742
- Growth  
  cardiac, multivariate analysis in human embryos, 855  
  vascular, in oculo model for quantitation, rat heart, 861
- H**
- Haemodynamic changes and pulmonary blood volume with legs raised in lung disease patients, 895
- Heart failure  
  chronic moderate, increased arterial oxygen content an important compensatory mechanism, 384  
  evolving experimental, remodelling and mitral regurgitation in, sequential echocardiographic-Doppler assessment, 468  
  increased afterload, roles of vasopressin and angiotensin II, rabbits, 68  
  systemic vasoconstriction induced by inhibition of nitric oxide synthesis is attenuated, conscious dogs: rapid communication, 438
- High frequency jet ventilation, effect of ventilatory strategy on cardiac output, 309
- 5-Hydroxytryptamine  
  mediates endothelium dependent coronary vasodilatation by release of nitric oxide, isolated rat heart, 244  
  receptor profile, in epicardial coronary arteries: correspondence, 263
- Hypervolaemia, pulmonary blood volume during, effects of pericardiectomy, dog, 705
- Hypoxia  
  effects on  $\alpha_1$  adrenoceptor mediated signal transduction, neonatal rat ventricular myocytes, 609  
  myocardial, potassium efflux during, 414  
  myocardial response, role of inward rectifier  $\text{IK}_1$ , 17

Hysteresis of end systolic pressure-length relations, effect of regional ischaemia, 110

## I

- Iloprost infusion, reduced cardiovascular sympathetic excitatory responses during, conscious dogs, 793
- Infarct size, myocardial, *see* Myocardial infarct size
- Infarcted myocardium, monophasic action potentials recorded from, 984
- Infarction and overload, cardiac adaptations and ventricular function, rat, 330
- Insulin, adenosine influence on stimulatory effect on myocardial contractility in vivo, 151
- Internal mammary artery, alpha; adrenoceptor subtype mediates noradrenaline induced contraction, radioligand and functional studies, 290
- Intracoronary adenosine and papaverine do not increase myocardial systolic thickening, 1042
- Intrinsic sinus node recovery time, cellular basis, 546
- Inward rectifier IK1, role in myocardial response to hypoxia, 17
- <sup>125</sup>Iodine-iodocyanopindolol, specific non-beta-adrenergic binding sites for, in myocardial membrane preparations, 764
- Ischaemia
  - cardioprotective action of endogenous phosphocreatine, 164
  - contribution to development of microvascular incompetence in myocardium, 491
  - reperfusion, brief, endothelium dependent vasodilatation following, anaesthetised swine, 659
  - and endothelium dependent vasodilatation, swine, 659
  - injury, desferrioxamine fails to provide protection against, 711
  - transient, induced by rapid cardiac pacing, results in myocardial preconditioning, 1051
- Ischaemic catabolites, reperfusion to remove, and myocardial infarct size, 7
- Isoprenaline, adenosine influence on stimulatory effect on myocardial contractility in vivo, 151

## L

- Langendorff rabbit heart model, in defibrillation studies, 979
- Lemakalim induced coronary vasodilatation, and ATP sensitive potassium channels, 930
- Leucocytes, polymorphonuclear, reduce rabbit papillary muscle function, role of CD18 glycoprotein adhesion complex, 172
- Lovastatin
  - inhibits accumulation of aortic cholesterol in experimental atherosclerosis, 568
  - prevents impairment of endothelium dependent relaxation, 568
- Lung disease patients, pulmonary blood volume and haemodynamic changes with legs raised, 895

## M

- Membrane potential, role in barium-induced automaticity, cardiac myocytes, guinea pig, 421
- Metabolism, myocardial, <sup>2</sup>H and <sup>31</sup>P NMR to study during increased cardiac work, 749
- Metoprolol and ventricular repolarisation and refractoriness, lack of chronic adaptational class III effects, rabbit, 652

- Microvascular incompetence, development in myocardium, contribution of ischaemia, 491
- Milrinone, effects on sarcoplasmic reticulum calcium release channel, 537
- Mitral regurgitation, experimentally induced, response of plasma atrial natriuretic factor, 192
- Mock circulation models, development for assessment of counterpulsation systems, 901
- Monophasic action potential, frequency dependent effects of antiarrhythmic agents, 217
  - recorded from subacutely infarcted myocardial regions, 984
- Muscarinic receptors, perfused porcine ear vein, effects of acetylcholine, 42
- Myocardial
  - energy metabolism, changes in elective coronary angioplasty, 158
  - infarct size, effect of adenosine, 943
  - evaluation of factors influencing, 844
  - experimental, reduction by oral administration of alpha tocopherol, 89
  - ischaemic catabolites, reperfusion to remove and, 7
  - infarction, dispersion of refractoriness and ventricular tachycardia inducibility, 378
  - and endogenous plasma Na, K-ATPase inhibitory and digoxin like immunoreactivity, 371
  - healed, induced ventricular arrhythmias in regionally denervated porcine heart, 586
  - platelets and free radicals after, 676
  - ischaemia, effect of glibenclamide on extracellular potassium accumulation during, 407
  - regional, effect on end systolic pressure-length relations, 110
  - lipid composition, effect of alcohol ingestion, turkeys, 881
  - oxygen supply and consumption, local adenosine infusion, reperfused canine myocardium, 630
  - oxygenation, polarographic oxygen sensitive electrodes to determine, pigs, 207
  - preconditioning, transient ischaemia induced by rapid cardiac pacing results in, 1051
  - protection, and prostaglandins, 93
  - with verapamil during ischaemia and reperfusion, 101
  - stunning, and reduced prostaglandin release, significance for attenuated reactive hyperaemia, 594
  - systolic thickening, not increased by intracoronary adenosine and papaverine, 1042
  - work, regional, augmented efficiency, effect of ouabain, 916
- Myocytes, ventricular
  - from cardiomyopathic hamsters, neurohumoral regulation of excitation-contraction coupling, 1023
  - isolated from guinea pigs and rats, cytosolic calcium staircase, 622
- Myosin isoenzymes, effects of long term treatment with alpha adrenoceptor blocker, spontaneously hypertensive rats, 565
- Myosin light chain in vascular smooth muscle cells, angiotensin II induced phosphorylation, SHR and WKY rats, 617

## N

- Naloxone, (+)- and (-)-, negative chronotropic but no antiarrhythmic effect, rats and guinea pigs, 230
- Neuropeptide Y, intracoronary, haemodynamic effects, after alpha adrenergic blockade, dogs, 757
- Neutrophils
  - activation reduces rabbit papillary muscle function, role of CD18 glycoprotein adhesion complex, 172
  - reduction by diltiazem at reperfusion, dogs, 319



- Nicardipine and cardiac hypertrophy, effects on left ventricular mass, 484
- Nicorandil suppresses early afterdepolarisation and ventricular arrhythmias induced by caesium chloride, rabbits *in vivo*, 445
- Nicotinamide adenine dinucleotide fluorometry, to study myocardial regulation, 749
- Nisoldipine, effect on atherosclerosis in cholesterol fed rabbit, endothelium dependent relaxation and aortic cholesterol content, 270
- Nitric oxide
- endothelium derived, release, in relation to pressure and flow, 831
  - synthesis, basal, importance in regulation of myocardial blood flow, 700
  - synthesis inhibition, inducing systemic vasoconstriction, attenuated in conscious dogs with heart failure: rapid communication, 438
- Non-linearity, in end systolic pressure-volume relationships, 36
- Noradrenaline
- age-related attenuation to endothelium dependent relaxation, pig coronary arteries, 1002
  - turnover and metabolism in myocardium following aortic constriction, rats, 579
- Notices, 263, 352, 440, 528, 704, 1054
- Nuclear magnetic resonance, 2H and 31P, to study myocardial regulation, 749
- O**
- Oscillations, cardiovascular, thermally stimulated, clinical testing, man, 666
- Ouabain, and augmented efficiency of regional myocardial work, 916
- Overload and infarction, cardiac adaptations and ventricular function, rat, 330
- Oxidant stress and cardiac muscle function, 645
- Oxygen
- consumption relations in postischaemic myocardium, 837
  - metabolism of hypertrophic right ventricle in open chest dogs, 731
  - sensitive multiwire electrodes, in determination of left ventricular surface tissue oxygen pressures, pigs, 207
  - supply and demand in isolated working rabbit heart perfused with asanguineous crystalloid solution, 198
  - tension, effects on endothelium dependent responses in canine coronary microvessels, 885
- P**
- Pacing, cardiac, rapid, transient ischaemia induced by, results in myocardial preconditioning, 1051
- Papaverine, intracoronary, does not increase myocardial systolic thickening, 1042
- Perfusion, myocardial, 2H and 31P NMR to study during increased cardiac work, 749
- Pericardiectomy, effects on canine pulmonary blood volume during hypervolaemia, 705
- Phosphocreatine, endogenous, cardioprotective action after cardiogenic ischaemic arrest, 164
- Phosphodiesterase inhibitors and the cardiac sarcoplasmic reticulum calcium release channel, differential effects of milrinone and enoximone, 537
- Phosphorus-31 magnetic resonance study, exogenous free fatty acids and anoxia, myocardial injury, 398
- Placental blood flow and combined ventricular output, relationship between, and fetal gestational age, 603
- Platelet(s)
- activating factor antagonist, new (BN 50739), effect on ischaemia induced ventricular arrhythmias in isolated working rat hearts, 391
  - and free radicals after myocardial infarction, 676
  - inhibition, effects of dipyridamole with and without aspirin, 177
- Postischaemic myocardium, *see* Stunned myocardium
- Potassium
- efflux during myocardial hypoxia, 414
  - extracellular accumulation, during myocardial ischaemia, effect of glibenclamide, 407
  - fluxes, myocardial frequency dependent, during beta adrenergic stimulation, pig hearts, 364
  - role in arrhythmogenesis, rabbit dual coronary perfusion model, 1010
- Preconditioning, protective effect on reperfusion induced ventricular arrhythmias, isolated rat hearts, 441
- Pressure load hypertrophy, coronary flow dynamics, 955
- Pressure overload, effect on cardiac Ca<sup>2+</sup> antagonist binding sites, guinea pig, 875
- Pressure-flow, coronary, pressure-function, and function-myocardial oxygen consumption relations, in postischaemic myocardium, 837
- Propranolol, effects on exercise in chronic isolated atrial fibrillation, 453
- Prostaglandin<sub>2</sub> generation, effects of dipyridamole with and without aspirin, 177
- Prostaglandins
- glyceryl trinitrate, and arterial compliance, 692
  - and myocardial stunning, 594
  - role as endogenous myocardial protective substances, 93
- Protein synthesis, heart, effect of anaesthesia, rat, 314
- Proteins, contractile, and ventricular function, in infarcted overloaded rat heart, 330
- Pulmonary blood volume
- during hypervolaemia, effects of pericardiectomy, dog, 705
  - and haemodynamic changes with legs raised in lung disease patients, 895
- Pulmonary hypertension, reflection as cause of mid-systolic deceleration of pulmonary flow wave, dogs, 118
- Pump function, myocardial, 2H and 31P NMR to study during increased cardiac work, 749
- Q**
- Quinidine
- frequency dependent effects on conduction, and rise time of ventricular monophasic action potential, 217
  - induced use dependent inhibition, slow recovery of conduction velocity, 302
- R**
- Rabbit dual coronary perfusion model, and ischaemia and reperfusion, 1010
- Reactive hyperaemia, attenuated, significance, and prostaglandin release from stunned porcine myocardium, 594
- Receptor signalling in doxorubicin induced cardiomyopathy, 145; correction, 352
- Recombinant tissue plasminogen activator, single bolus administration, effects on canine model of thrombotic occlusion/reperfusion, 184
- Red cell deformability, effects of dipyridamole with and without aspirin, 177
- Referees, and the refereeing system, *Cardiovascular Research*, 976-978
- Regurgitant volume in aortic regurgitation, haemodynamic effects of arterial compliance, total peripheral resistance, and glyceryl trinitrate, 869

- Regurgitation, aortic, influence of aortic valve morphology on regurgitant volume, *in vivo* evaluation, 73; correction, 440
- Renin-angiotensin system, effect of angiotensin-II, 353
- Reperfusion
- adenosine infusion, failure to limit myocardial infarct size in collateral deficient species, 943
  - arrhythmogenesis, potassium role and rabbit dual coronary perfusion model, 1010
  - induced ventricular arrhythmias, protective effect of preconditioning, isolated rat hearts, 441
  - injury, and diltiazem, dogs, 319
  - effect of ruthenium red, 337
  - ischaemia, and endothelium dependent vasodilatation, swine, 659
  - myocardial oxygen supply and consumption, local adenosine infusion, 630
  - to remove ischaemic catabolites, and myocardial infarct size, 7
- Right ventricular hypertrophy, oxygen metabolism, open chest dogs, 731
- Ruthenium red, effect on reperfusion injury, 337
- S
- Sarcolemmal proteins, phosphorylation, effect of alpha adrenergic agents and phorbol esters, 510
- Sarcoplasmic reticulum, reversible effects of ethanol, guinea pig offspring, 27
- Sea anemone toxin (ATXII), pharmacological evaluation of early afterdepolarisations after, 815
- Skeletal muscle protein synthesis, effect of anaesthesia, rat, 314
- Sodium
- channel blockers, combination causes competitive interaction on  $dV/dt_{max}$  of single ventricular myocytes, 516
  - potassium-ATPase inhibitory activity, and digoxin like immunoreactivity after acute myocardial infarction, 371
  - +, potassium-ATPase activity, and ventricular function, with chronic supraventricular tachycardia, 138
- Spiradoline, inhibitory effect on coronary artery, 802
- Spirapril and zofenopril compared, after myocardial infarction, rats, 936
- Spontaneously hypertensive rats, enhanced circulating levels of calcitonin gene related peptide, 125
- Stenotic haemodynamic responses, importance of endothelial function, 988
- Stunned myocardium, oxygen consumption relations in, 837
- Supraventricular tachycardia, chronic, ventricular function and  $Na^+, K^+-ATPase$  activity, 138
- Sympathetic inhibition with iloprost, 793
- Sympathetic nerve activity, effect of angiotensin-II, 353
- Sympathetic neurotransmission, in Watanabe heritable hyperlipidaemic rabbit mesentery artery, 1035
- Systolic ventricular interaction, comparative significance, 774
- T
- Theophylline, in isolated perfused guinea pig hearts, route dependent effects, 529
- Thrombolytic efficacy of recombinant tissue plasminogen activator in canine occlusion/reperfusion, 184
- Tissue type plasminogen activator and glyceryl trinitrate failure in coronary thrombosis, 283
- Tocainide, frequency dependent effects on conduction, and rise time of ventricular monophasic action potential, 217
- Total peripheral resistance, effect on regurgitant volume in aortic regurgitation, 869
- U
- Use dependent inhibition induced by quinidine, slow recovery of conduction velocity, 302
- V
- Vasoactive drugs, effects on haemodynamic power and input impedance, normal rats, 923
- Vasodilatation, coronary, action of 5-hydroxytryptamine and release of nitric oxide, isolated rat heart, 244
- Vasopressin and angiotensin II, and afterload in heart failure, rabbits, 68
- Ventricle (ventricular)
- arrhythmias, induced, in regionally denervated porcine heart with healed myocardial infarction, 586
  - cells, determinants of action potential duration, neonatal rat, 235
  - fibrillation threshold, influenced by left ventricular stretch and mass in absence of ischaemia, 458
  - function, and contractile proteins in infarcted overloaded rat heart, 330
  - and  $Na^+, K^+-ATPase$  activity, with chronic supraventricular tachycardia, 129
  - left, and aorta, adaptive mechanisms to volume overloading following abrupt aortic regurgitation, rabbits, 463
  - hypertrophy secondary to systemic hypertension, effect on left coronary artery flow dynamics, 955
  - load increase, acute *in vivo*, varied rate and extent, 637
  - surface tissue oxygen pressures determined by oxygen sensitive multiwire electrodes, pigs, 207
  - myocardium, in cardiomyopathy, arrhythmogenic properties, hamster, 49
  - during cardiac growth, 855
  - myocytes, isolated from guinea pigs and rats, cytosolic calcium staircase, 622
  - neonatal,  $\alpha_1$  adrenoceptor mediated signal transduction, 609
  - output, combined, and placental blood flow, relationship between, and fetal gestational age, 603
  - repolarisation and refractoriness, and metoprolol, lack of chronic adaptational class III effects, rabbit, 652
  - tachycardia, re-entrant, dispersion of refractoriness for identification of propensity to, in myocardial infarction model, 378
- Verapamil
- effect on end systolic pressure-length relations, 110
  - effects on exercise in chronic isolated atrial fibrillation, 453
  - myocardial protection during ischaemia and reperfusion, 101
- W
- Watanabe heritable hyperlipidaemic rabbit mesentery artery, sympathetic neurotransmission, 1035
- X
- Xanthine oxidoreductase activity, absence, in human myocardium, 820
- Z
- Zofenopril and spirapril compared, after myocardial infarction, rats, 936